



## Guidelines following Circumcision

We hope that your stay in our Day Surgery Unit has been comfortable and to your satisfaction. We hope that you have a speedy recovery and that the following instructions will be of help.

**Aftercare** – You may have a small dressing that should come off in the first few hours post operatively.

The wound may discharge and look very sore during the first week – this is quite normal and not an infection but crusting as the skin tries to heal. If you are concerned please contact your General Practitioner.

If bleeding occurs from the operation site, wrap a clean dressing (for example a handkerchief) round the penis and put on some well-fitting underpants. Ensure you rest, observing for any further bleeding. Should the bleeding persist contact your General Practitioner (GP).

For comfort, loose fitting trousers possibly without underwear, may be more comfortable.

Daily baths may be soothing.

The stitches usually dissolve and can take two to three weeks to disappear.

**Pain relief** - For any pain or discomfort after the operation, Paracetamol (syrup/tablets) may be taken as per the instructions on the bottle/packet.

**Stockings** - If you have been given support stockings to wear it is important that you continue to wear them day and night until you are fully mobile (at least 24-48 hours). The stockings should be removed for a short time daily to wash the feet and legs. You may also hand wash the stockings but do not dry them by direct heat (radiator or tumble dryer).

**Follow up** - If required an outpatient appointment will be sent through the post \_\_\_\_\_.



# Guidelines following Circumcision

**You were given the following pain relief while in Day Surgery**

**Paracetamol at**

**Codeine at**

**Ibuprofen at**

## **Instructions for patients who have had a general anaesthetic**

Anaesthetic drugs remain in the body for 24 hours and gradually wear off over this time.

During the 24 hours following anaesthetic, you are under the influence of drugs and it is important to follow these instructions:

- Do not drive a car or any other vehicle, including a bicycle.
- Do not operate machinery or appliances such as cookers or kettles.
- Do not drink any alcohol.
- Do not lock the bathroom or toilet door or make yourself inaccessible to the person looking after you.
- Drink plenty of fluids and eat a light diet, avoiding heavy or greasy foods.
- Take things easy for the day after your operation and do not work with machinery.
- Do not take strenuous exercise.
- Do not make important decisions or sign important documents for 24 hours after your anaesthetic.

Some people take longer to recover from the effects of an anaesthetic so these guidelines may continue to be followed for up to 48 hours, if necessary.

**If there are any problems after you return home, please telephone your General Practitioner (GP) or out of hours General Practitioner service, or the Day Surgery Unit on 01793 604148 between 8.00am and 7.00pm, Monday to Fridays (excluding bank holidays). After 7.00pm or at weekends please contact the Surgical Assessment Unit on 01793 604039. You can also call 111 for advice or visit [www.111.nhs.uk](http://www.111.nhs.uk)**

If you have any suggestions on how we can improve our service, we would be happy to hear from you. Please write to:

Senior Sister  
Day Surgery Unit  
Great Western Hospital  
Marlborough road



# Guidelines following Circumcision

Swindon  
SN3 6BB

Smoking will not be permitted on any NHS site in England. Smoking will not be permitted within any of our buildings or anywhere outside on our sites. Smoking facilities will not be provided. Please be considerate of others when vaping in hospital grounds.

**This information sheet is available to order in other languages and formats. If you would like a copy, please contact us on 01793 604031 or email [gwh.pals@nhs.net](mailto:gwh.pals@nhs.net)**

**Document Control**

Division: Surgery Womens & Childrens  
Department: Day Surgery Unit  
Approved Date: 15 September 2020  
Next Review Date: October 2023  
Document Number: SW&C - PIL0005